

Attorney Docket No.: **P-633 (TI-0020)**  
Inventors: **Taylor and Yu**  
Serial No.: **09/873,645**  
Filing Date: **June 4, 2001**  
Page 2

This listing of the claims will replace all prior versions and listings of claims in the application:

**Listing of Claims:**

Claims 1-12 (canceled).

Claim 13 (currently amended): A system for computer implemented adjustment of signal data and time data of a plurality of chromatographic elution profiles to values useful for grouping of the plurality of chromatographic elution profiles method, said system comprising:

a computer having a processor and memory, wherein the computer receives a set of data corresponding to a plurality of chromatographic elution profiles, wherein each profile is obtained from the separation of a DNA mixture by Denaturing Matched Ion Polynucleotide Chromatography, wherein each DNA mixture comprises homoduplex and heteroduplex molecules obtained from hybridization of a sample DNA and its corresponding wild type DNA, and wherein the processor:

(a) overlays plots said profiles on a coordinate system comprising a first axis associated with time values and a second axis associated with detector response values,

(b) selects first and second time points defining a time span wherein peaks due to said homoduplex and heteroduplex molecules are located within said span,

(c) for each profile and within said span, adjusts the baseline by applying a slope factor to each detector response value, said factor derived from a line connecting the detector

Attorney Docket No.: **P-633 (TI-0020)**  
Inventors: **Taylor and Yu**  
Serial No.: **09/873,645**  
Filing Date: **June 4, 2001**  
Page 3

response values at said first and second time points such that all of the profiles have a common baseline,

(d) then after creating the common baseline for each profile and within said span, normalizes the heights of the peaks to a pre-selected scale based on the height of the highest peak, and finally

(e) shifts each of the profiles along said first axis such that all of the profiles intersect at a pre-selected point on the last eluting peak of each profile within said span so that values from the plurality of chromatographic elution profiles can be used to group the plurality of chromatographic elution profiles.

Claim 14 (original): The system of claim 13 wherein said pre-selected value is zero, wherein said pre-selected scale is from 0 to 1, wherein said pre-selected point comprises a point on the last eluting edge of said last eluting peak, and wherein in step (c) the second axis value at the first time point and the second axis value at the second time point are set to zero.

Claim 15 (previously presented): The system of claim 13 wherein said processor further comprises the steps of:

(a) within said span, divides the first axis into a series of adjacent and evenly spaced time regions, wherein boundary lines perpendicular to said first axis are located between adjacent time regions,

(b) divides each boundary line number 1 through I  
(c) for each boundary line, numbered 1 through I  
    i) determines the number of profiles intersecting each of said segments,

Attorney Docket No.: **P-633 (TI-0020)**  
Inventors: **Taylor and Yu**  
Serial No.: **09/873,645**  
Filing Date: **June 4, 2001**  
Page 4

ii) determines the segment having the highest number of intersecting profiles and determines the nearest segment having zero intersecting profiles,

iii) for each boundary line, assigns a numerical grouping factor of  $n^i$  to the profiles that have a second axis value greater than said segment having zero intersecting profiles and assigns a grouping factor of 1 to the remaining intersecting profiles, wherein  $n$  is an integer greater than 1,

(a) for each profile obtains a total value comprising the sum of all the grouping factors assigned to said each profile,

(b) groups together those profiles having the same total value.

Claim 16 (previously presented): The system of claim 15 wherein  $n=2$ .

Claims 17-27 (canceled).